

SPECIAL SCAVENGER WASTE PERMIT

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Permit No.	<u>18-16</u>	Effective Date:	<u>December 1, 2018</u>
		Expiration Date:	<u>June 30, 2020</u>
Name of Permittee:	<u>A & L CESSPOOL SERVICE CORP.</u>		
	(Firm or Individual)		
Address:	<u>38 - 40 REVIEW AVENUE</u>		
	(Street)		
	<u>LONG ISLAND CITY, NY 11101</u>		
	(City, State, Zip)		
Telephone Number:	<u>(718) 729 - 3072</u>		

	License No.	State	Year	Make	Color
Vehicle	61427MG	NY	2015	MACK	GREEN

This Permit is an Order of the Commissioner of the New York City Department of Environmental Protection.

The above specified vehicle is authorized to discharge process wastewater generated from the permittee's brown grease and yellow grease treatment system subject to the limitations, monitoring requirements, and other terms and conditions set forth in previously issued NYCDEP Special Waste Discharge Permit Number **S18-08**.

The above specified vehicle is also authorized to discharge scavenger waste, defined as collected sludge derived from sanitary wastewater discharged into cesspools, septic tanks or privies located within New York City, at the discharge manhole(s) listed below, subject to the limitations, monitoring requirements, and other terms and conditions set forth herein. This permit is only applicable to vehicles transporting scavenger waste and process wastewater generated from the permittee's brown grease and yellow grease treatment system, and is not valid for vehicles which transport any other type of waste.

The transportation or disposal of industrial or other wastes other than scavenger waste and process wastewater generated from the permittee's brown grease and yellow grease treatment system is strictly prohibited. The discharge of scavenger waste collected from outside New York City is also strictly prohibited. Such activities may result in revocation of the permit, and/or penalties and/or imprisonment.

Discharge Manhole(s): 26 Ward
Hunts Point
Oakwood Beach
Bowery Bay Dry Weather Manhole (MH-3)
Bowery Bay Wet Weather Manhole (MH-2)
(See attached maps)

The permittee, its employees, and its designated agents must comply with all the applicable terms of this permit, all provisions of 15 RCNY Chapter 19, Use of the Public Sewers and any applicable Federal, State or local laws, including those that become effective during the term of the permit. Non-compliance may result in the revocation of this permit and may be punished by fine or imprisonment or both, against the above-mentioned parties.

In consideration for the granting of this permit, the permittee, by accepting it, hereby consents and agrees to designate all vehicle operators of the permitted vehicle and all office personnel as agents for the purpose of accepting service of Commissioner's Orders and/or Summons that may be issued by the New York City Department of Environmental Protection (NYCDEP).

The permittee shall at all times:

- (1) discharge scavenger wastes or any other permitted wastes to the designated manholes during the following hours only:
 - a. during the period beginning on the day Daylight Savings Time begins (in the spring) up to and including the day Daylight Savings Time ends (in the fall); the authorized discharge hours are 6:00AM through 8:00PM, only.
 - b. during the period beginning on the day after Daylight Savings Time ends (in the fall) up to and including the day before Daylight Savings Time begins (in the spring); the authorized discharge hours are 6:00AM through 6:00PM, only.

The above listed discharge hours are in effect seven days per week 365 days per year. The discharge of scavenger wastes or any other permitted wastes other than at the times listed above is strictly prohibited;

- (2) At the Hunts Point Wastewater Treatment Plant (WWTP), the permitted vehicle operator must log in with the security guard at the gate prior to discharging at the designated manhole, and must close and secure the manhole cover after each discharge is completed. The vehicle operator must also notify the security guard immediately upon becoming aware that the manhole cover is missing, broken or inoperative.

- (3) At the Bowery Bay WWTP Dry Weather Manhole (MH-3), the permitted vehicle operator must log in with the security guard at the gate, prior to discharging at the designated manhole. **The Permittee is prohibited from discharging any permitted waste into MH-1 during any wet weather event. Any such discharge constitutes a violation of this Permit. Wet weather events include but are not limited to rainfall, snow, sleet, hail and snowmelt.**
- (4) At the Bowery Bay WWTP Wet Weather Manhole (MH-2), the permitted vehicle operator must log in with the security guard at the gate, prior to discharging at the designated manhole. **The Permittee is prohibited from discharging any permitted waste into MH-2 during dry weather. Any such discharge constitutes a violation of this Permit.**
- (5) At Oakwood Beach WWTP, the vehicle operator must sign in with the security guard at the gate prior to discharging at the designated manhole, and must close and secure the manhole cover after each discharge is completed. The vehicle operator must also notify the security guard immediately upon becoming aware that the manhole cover is missing, broken or inoperative.
- (6) At 26th Ward WWTP, the vehicle operator must first sign in with the security guard at the main entrance gate located at 1552 Van Sicklen Avenue, and fill in all the required information on the sign-in log sheet prior to discharging at the designated scavenger manhole. After signing in, the vehicle operator may then obtain a copy of the key to the scavenger manhole site from the security guard in order to gain entry to and discharge at the scavenger manhole.

After passing through the gate to the manhole, the vehicle must pull straight into dumping position without turning. A yellow guideline and markings have been painted indicating where the vehicle must pull into. A hose is being provided next to the scavenger manhole to be used by a vehicle operator who has created an unclean condition during discharge. The vehicle operator is required to wash down the area so as to leave the area in a clean condition prior to departure.

After discharge is completed, the vehicle operator must close and secure the manhole cover, re-lock the gate, personally return the key promptly to the security guard and sign out. If the security guard is away from the booth, the vehicle operator must wait until the security guard is back at the booth before returning the key. The key shall not be transferred from one vehicle operator to another vehicle operator, even one from the same company, nor be reproduced.

The vehicle operator must notify both the security guard and (718) 642-7705, the Watch Engineer of 26th Ward WWTP, immediately upon becoming aware that the manhole cover is not closed, the area is unclean or that the chain and/or lock on the gate leading to the 26th Ward Scavenger Discharge Manhole is missing or inoperative.

- (7) refrain from knowingly, or negligently breaking, damaging, destroying, defacing or tampering with any NYCDEP structure, appurtenance, equipment, or other property.
- (8) use a hose to discharge directly into the manhole(s) designated in this permit. If the manhole is equipped with a cover or plate with a smaller opening, the discharge hose must be inserted inside the opening prior to discharge, so as to prevent any spillage or splashing of scavenger wastes outside the manhole, and the manhole cover or plate must be closed and secured after each discharge is completed. The vehicle operator must also notify the security guard immediately upon becoming aware that the manhole cover or plate is missing, not closed, broken or inoperative, or if the discharge area is unclean or strewn with garbage.
Permittees, and their employees or agents, including but not limited to vehicle operators, are prohibited from discarding or leaving garbage, refuse, or any other items at scavenger waste discharge manhole areas.
- (9) carry a copy of this permit on the vehicle for which it is issued and provide it on demand;
- (10) provide the driver's license of the vehicle operator on demand;
- (11) have written and numbered invoices, bills or other written and numbered documentation in the permitted vehicle. Such documentation must list the exact location (including name of the property owner, address and telephone number) from which the waste contained in the vehicle was collected. Said documentation must be presented on demand;
- (12) have the vehicle operator immediately take a sample(s) of the waste from the vehicle, in bottles or containers provided by NYCDEP, upon the request of NYCDEP personnel;
- (13) make the permitted vehicle amenable to sampling (e.g. install sampling ports) as required by NYCDEP;
- (14) provide immediate access to NYCDEP personnel to any premises, to allow an inspection and/or sampling of any permitted vehicle and/or to allow the inspection, review and copying of any books, invoices, records or reports of the permittee;
- (15) immediately notify NYCDEP if a new license plate number is obtained for a permitted vehicle and obtain an amended scavenger waste discharge permit listing the new license plate number of said vehicle . The notification and request for an amended permit must be faxed to (718) 595-4771, attention Frances Leung. Until NYCDEP issues an amended permit no employee shall operate the permitted vehicle;
- (16) immediately notify NYCDEP of the hiring of any employees and to obtain and submit proof of Worker's Compensation Insurance and a Certificate of Disability. Notification must be faxed to (718) 595-4771, attention Frances Leung. Until such notification and proof are received and NYCDEP issues an amended permit no employee shall operate the permitted vehicle; and

(17) provide any additional information as NYCDEP determines may be necessary to review the permittee's compliance with the terms and conditions of this permit and all applicable regulations;

The permittee must submit semi-annual reports. These reports are to be sent to:

Frances Leung, P.E., Chief
Industrial Inspections and Permitting Section
Bureau of Wastewater Treatment
New York City Department of Environmental Protection
96-05 Horace Harding Expressway
Corona, New York 11368

The semi-annual reports must be received by NYCDEP by May 1st and November 1st of the year. The May 1st report shall include the data listed below for the period October 1st through March 31st. The November 1st report shall include the same data for the period April 1st through September 30th.

The semi-annual reports shall account for all waste collected and/or discharged within New York City and detail:

- (1) the date the waste was collected;
- (2) the name, address and telephone number of the location where the waste was collected;
- (3) the exact type of establishment where the waste was collected from;
- (4) the number of gallons collected;
- (5) the invoice number;
- (6) the date and time the waste was discharged; and
- (7) the manhole used for discharge.

Reports shall be made on the NYCDEP Semi-Annual Scavenger Waste Discharge Report Form. It is recommended that all reports be sent via certified mail in the event that you are required to prove that such reports were received by the Department in a timely manner.

The issuance of this permit does not convey any property rights of any sort or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any violation of Federal, State or local laws or regulations.

This permit is issued to the named permittee and for the vehicle specified herein. It does not cover any other vehicle and is not assignable or transferable to any other person or entity. The sale of any of the stock in a corporation of the permittee, if the permittee is a corporation, or the change of any partners, general or limited, if the permittee is a partnership, or the change in ownership if the permittee is a sole proprietorship, shall be considered a transfer.

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit due to any circumstance is held invalid, the application of such provision to other circumstances and the remainder of this permit, shall not be affected thereby.

This permit may be modified, revoked and reissued, or terminated at NYCDEP's sole discretion.

NYCDEP retains the right to refuse to allow the discharge of any waste for any reason, at any time, and without prior notice to the permittee.

The permittee shall be liable for any and all damages, costs and expenses caused by any act, whether negligent or intentional, of the permittee, its employees and agents arising out of any activities in connection with this permit.

Approved by:



Frances Leung, P.E., Chief
Industrial Inspections and Permitting Section
Bureau of Wastewater Treatment
96-05 Horace Harding Expressway
Corona, New York 11368
(718) 595-4763

Date: November 26, 2018

SPECIAL WASTE PERMIT

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Permit No.	<u>S18-08</u>	Effective Date:	<u>December 1, 2018</u>
		Expiration Date:	<u>June 30, 2020</u>

Name of Permittee:	<u>A & L CESSPOOL SERVICE CORP.</u>
	(Firm or Individual)
Address:	<u>38 - 40 REVIEW AVENUE</u>
	(Street)
	<u>LONG ISLAND CITY, NY 11101</u>
	(City, State, Zip)
Telephone Number:	<u>(718) 729 - 3072</u>

	<u>License No.</u>	<u>State</u>	<u>Year</u>	<u>Make</u>	<u>Color</u>
Vehicle	<u>61427MG</u>	<u>NY</u>	<u>2015</u>	<u>MACK</u>	<u>GREEN</u>

This Permit is an Order of the Commissioner of the New York City Department of Environmental Protection.

The above specified vehicle is authorized to discharge scavenger waste, defined as collected sludge derived from sanitary wastewater discharged into cesspools, septic tanks or privies located within New York City, at the discharge manhole(s) listed below, subject to the limitations, monitoring requirements, and other terms and conditions set forth in previously issued NYCDEP Special Scavenger Waste Discharge Permit Number S18-16.

The above specified vehicle is also authorized to discharge process wastewater generated from the permittee's brown grease and yellow grease treatment system at the discharge manholes listed below, subject to the limitations, monitoring requirements and other terms and conditions set forth herein. This permit is only applicable to vehicles transporting scavenger waste and process wastewater generated from the permittee's brown grease and yellow grease treatment system, and is not valid for vehicles which transport any other type of waste.

The transportation or disposal of industrial or other wastes other than scavenger waste and process wastewater generated from the permittee's brown grease and yellow grease treatment system is strictly prohibited. The discharge of scavenger waste collected from outside New York City is also strictly prohibited. Such activities may result in revocation of the permit, and/or penalties and/or imprisonment.

Discharge Manhole(s):

26th Ward

Bowery Bay Dry Weather Manhole (MH-3)

Bowery Bay Wet Weather Manhole (MH-2)

(See attached maps)

The permittee, its employees, and its designated agents must comply with all the applicable terms of this permit, all provisions of 15 RCNY Chapter 19, Use of the Public Sewers and any applicable Federal, State or local laws, including those that become effective during the term of the permit. Non-compliance may result in the revocation of this permit and may be punished by fine or imprisonment or both, against the above-mentioned parties.

In consideration for the granting of this permit, the permittee, by accepting it, hereby consents and agrees to designate all drivers of the permitted vehicle and all office personnel as agents for the purpose of accepting service of Commissioner's Orders and/or Summons that may be issued by the New York City Department of Environmental Protection (NYCDEP).

The permittee shall at all times:

- (1) discharge wastewater generated from the permittee's brown grease and yellow grease treatment system to the designated manholes located at the 26th Ward Wastewater Treatment Plant (WWTP) and at the Bowery Bay WWTP during the following hours only:
 - a. during the period beginning on the day Daylight Savings Time begins (in the spring) up to and including the day Daylight Savings Time ends (in the fall); the authorized discharge hours are 6:00AM through 8:00PM, only.
 - b. during the period beginning on the day after Daylight Savings Time ends (in the fall) up to and including the day before Daylight Savings Time begins (in the spring); the authorized discharge hours are 6:00AM through 6:00PM, only.

The above listed discharge hours are in effect seven days per week, 365 days per year. The discharge of the permitted waste other than at the times listed above is strictly prohibited;

- (2) At 26th Ward WWTP, the vehicle operator must first sign in with the security guard at the main entrance gate located at 1552 Van Sicklen Avenue, and fill in all the required information on the sign-in log sheet prior to discharging at the designated manhole. After signing in, the vehicle operator may then obtain a copy of the key to the manhole site from the security guard in order to gain entry to and discharge at the scavenger manhole.

After passing through the gate to the manhole, the vehicle must pull straight into dumping position without turning. A yellow guideline and markings have been painted indicating where the vehicle must pull into. A hose is being provided next to the manhole to be used by a vehicle operator who has created an unclean condition during discharge. The vehicle operator is required to wash down the area so as to leave the area in a clean condition prior to departure.

After discharge is completed, the vehicle operator must close and secure the manhole cover, re-lock the gate, personally return the key promptly to the security guard and sign out. If the security guard is away from the booth, the vehicle operator must wait until the security guard is back at the booth before returning the key. The key shall not be transferred from one vehicle operator to another vehicle operator, even one from the same company, nor be reproduced.

The vehicle operator must notify both the security guard and (718) 642-7705, the Watch Engineer of 26th Ward WWTP, immediately upon becoming aware that the manhole cover is not closed, the area is unclean or that the chain and/or lock on the gate leading to the 26th Ward Discharge Manhole is missing or inoperative.

- (3) At the Bowery Bay WWTP Dry Weather Manhole (MH-3), the permitted vehicle operator must log in with the security guard at the gate, prior to discharging at the designated manhole. **The Permittee is prohibited from discharging any permitted waste into MH-3 during any wet weather event. Any such discharge constitutes a violation of this Permit.** Wet weather events include but are not limited to rainfall, snow, sleet, hail and snowmelt.
- (4) At the Bowery Bay WWTP Wet Weather Manhole (MH-2), the permitted vehicle operator must log in with the security guard at the gate, prior to discharging at the designated manhole. **The Permittee is prohibited from discharging any permitted waste into MH-2 during dry weather. Any such discharge constitutes a violation of this Permit.**
- (5) refrain from knowingly, or negligently breaking, damaging, destroying, defacing or tampering with any NYCDEP structure, appurtenance, equipment, or other property.
- (6) use a hose to discharge directly into the manhole(s) designated in this permit. If the manhole is equipped with a cover or plate with a smaller opening, the discharge hose must be inserted inside the opening prior to discharge, so as to prevent any spillage or splashing of scavenger wastes outside the manhole, and the manhole cover or plate must be closed and secured after each discharge is completed. The vehicle operator must also notify the security guard immediately upon becoming aware that the manhole cover or plate is missing, not closed, broken or inoperative, or if the discharge area is unclean or strewn with garbage.
Permittees, and their employees or agents, including but not limited to vehicle operators, are prohibited from discarding or leaving garbage, refuse, or any other items at scavenger waste discharge manhole areas.

- (7) carry a copy of this permit on the vehicle for which it is issued and provide it on demand;
- (8) provide the driver's license of the vehicle operator on demand;
- (9) have the vehicle operator immediately take a sample(s) of the waste from the vehicle, in bottles or containers provided by NYCDEP, upon the request of NYCDEP personnel;
- (10) make the permitted vehicle amenable to sampling (e.g. install sampling ports) as required by NYCDEP;
- (11) provide immediate access to NYCDEP personnel to any premises, to allow an inspection and/or sampling of any permitted vehicle and/or to allow the inspection, review and copying of any books, invoices, records or reports of the permittee;
- (12) have all applicable Worker's Compensation and Disability insurances up-to-date;
- (13) have an applicable New York State Department of Environmental Conservation Waste Transporter Permit;
- (14) immediately notify NYCDEP if a new license plate number is obtained for a permitted vehicle and obtain an amended waste discharge permit listing the new license plate number of said vehicle . The notification and request for an amended permit must be faxed to (718) 595-4771, attention Frances Leung. Until NYCDEP issues an amended permit, no employee shall operate the permitted vehicle;
- (15) immediately notify NYCDEP of the hiring of any employees and to obtain and submit proof of Worker's Compensation Insurance and a Certificate of Disability. Notification must be faxed to (718) 595-4771, attention Frances Leung. Until such notification and proof are received and NYCDEP issues an amended permit no employee shall operate the permitted vehicle;
- (16) provide any additional information as NYCDEP determines may be necessary to review the permittee's compliance with the terms and conditions of this permit and all applicable regulations;
- (17) hold the wastewater generated from the permittee's brown grease and yellow grease treatment system to the maximum extent practicable during heavy rainfall;
- (18) submit sampling results of the wastewater generated from the permittee's brown grease and yellow grease treatment system on a semi-annual basis for the pollutants listed in the attachment.

All laboratory analyses must be conducted by a New York State Health Department certified wastewater laboratory. The results must be certified by the laboratory and submitted on the laboratory's letterhead. For each sample, the laboratory report must indicate the date of sampling, time sample was taken, sample location, chain of custody,

sampling preservation procedures, analytical techniques used, date of analysis, units of measurement, and the laboratory's sample identification; where the analytical result reported is below the method detection level, the laboratory report must also indicate the method detection level; and

(19) maintain a paper and/or electronic log for the transfer of the treated wastewater generated from the facility's recycling operation onto the vehicle(s) transporting it to the discharge manholes. The logbook must include, at a minimum, the date of transfer of the treated wastewater onto the transporting vehicle(s), final pH of the treated wastewater being transferred, volume (in gallons) of treated wastewater transferred onto each transporting vehicle, license plate number(s) of the transporting vehicle(s), and the name of the operator recording the information. The logbook must be available for review by DEP personnel upon request.

A copy of the logbook entries for the monitoring period must be submitted in each self-monitoring report.

The permittee must submit semi-annual reports. These reports are to be sent to:

Frances Leung, P.E., Chief
Industrial Inspections and Permitting Section
Bureau of Wastewater Treatment
New York City Department of Environmental Protection
96-05 Horace Harding Expressway
Corona, New York 11368

The semi-annual reports must be received by NYCDEP by May 1st and November 1st of the year. The May 1st report shall include the data listed below for the period October 1st through March 31st. The November 1st report shall include the same data for the period April 1st through September 30th.

The semi-annual reports shall account for all waste collected and/or discharged within New York City and include:

- (1) a copy of the logbook entries for the monitoring period;
- (2) the number of gallons of recycling wastewater for each discharge to the designated manhole;
- (3) the date and time the wastewater was discharged to the designated manhole;
- (4) sampling results as required by item number 18 on page 4 of this Permit; and
- (5) the receipts/manifests for all waste shipped off-site (except for wastewater transported and discharged under this Permit) including but not limited to any solids, wastewater, spent chemicals, and sludge.

Items numbers 2 through 4 above shall be made on the NYCDEP Semi-Annual Waste Discharge Report Form. It is recommended that all reports be sent via certified mail in the event that you are required to prove that such reports were received by the Department in a timely manner.

The issuance of this permit does not convey any property rights of any sort or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any violation of Federal, State or local laws or regulations.

This permit is issued to the named permittee and for the vehicle specified herein. It does not cover any other vehicle and is not assignable or transferable to any other person or entity. The sale of any of the stock in a corporation of the permittee, if the permittee is a corporation, or the change of any partners, general or limited, if the permittee is a partnership, or the change in ownership if the permittee is a sole proprietorship, shall be considered a transfer.

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit due to any circumstance is held invalid, the application of such provision to other circumstances and the remainder of this permit, shall not be affected thereby.

This permit may be modified, revoked and reissued, or terminated at NYCDEP's sole discretion.

NYCDEP retains the right to refuse to allow the discharge of any waste for any reason, at any time, and without prior notice to the permittee.

The permittee shall be liable for any and all damages, costs and expenses caused by any act, whether negligent or intentional, of the permittee, its employees and agents arising out of any activities in connection with this permit.

Approved by:



Date: November 26, 2018

Frances Leung, P.E., Chief
Industrial Inspections and Permitting Section
Bureau of Wastewater Treatment
96-05 Horace Harding Expressway
Corona, New York 11368
(718) 595-4763

ATTACHMENT TO SPECIAL WASTE PERMIT NO. S18-08

LIMITATIONS AND MONITORING REQUIREMENT FOR DISCHARGE OF PROCESS WASTEWATER GENERATED FROM THE PERMITTEE'S BROWN GREASE AND YELLOW GREASE TREATMENT SYSTEM TO 26TH WARD WWTP AND BOWERY BAY WWTP DISCHARGE MANHOLES


Parameter ¹	Instantaneous Limit	Sampling Point	Sample Type	Frequency
			(Semi-annual Requirement)	
Non-polar Material	50 mg/l	Immediately downstream from the final pretreatment equipment, i.e., immediately prior to transferring the treated wastewater onto the vehicle transporting it for discharge to the designated manholes. Samples should be taken prior to mixing with any other wastestreams.	One grab sample for one truckload of discharge in each day, for 3 days. Each sample must be individually preserved and sent to a certified laboratory.	Once every six-month monitoring period.
Cadmium	0.69 mg/l	" "	" "	" "
Chromium (VI)	5 mg/l	" "	" "	" "
Copper	5 mg/l	" "	" "	" "
Lead	2 mg/l	" "	" "	" "
Mercury	0.05 mg/l	" "	" "	" "
Nickel	3 mg/l	" "	" "	" "
Zinc	5 mg/l	" "	" "	" "
Total Suspended Solids	350 mg/l	" "	" "	" "
Oil and Grease	300 mg/l	" "	" "	" "
pH (range)	5 - 12		One in situ measurement for every batch discharge of treated wastewater transferred from the facility's pretreatment system onto the transporting vehicle(s). Each measurement shall be recorded in the facility's logbook.	Every batch discharge.

1 All handling and preservation of collected samples and laboratory analyses of samples shall be performed in accordance with 40 C.F.R. pt. 136. If 40 C.F.R. pt. 136 does not cover the pollutant in question, the handling, preservation, and analysis must be performed in accordance with the latest edition of "Standard Methods for the Examination of Water and Wastewater." All analyses shall be performed using a detection level less than the lowest applicable regulatory discharge limit. If a parameter does not have a limit, then the detection level is defined as the least of the Practical Quantitation Limits identified in NYSDEC's Analytical Detectability and Quantitation Guidelines for Selected Environmental Parameters, December, 1988.


Hunts Point Scavenger Waste ManHOLE (Effective April 2018)

Ryawa Avenue

Entrance



Scavenger Truck Route



BELT PARKWAY

SEAVIEW AVE.

THE 5TH AVENUE.

LINCOLN AVE.

AUTUMN AVE.

HEMLOCK ST.

— CRESCE

125 Ave

26 THURSDAY

ISRAEL

BOOKLYN DEVELOPMENT CTR.

ANDAHIA AVB.

PLUM P. STA.

Access Rd.


24" NEW
SCAVENGER
MANHOLE

SCANNER
HOLE

5' SEWELL RD.
26' WARD

FOUNTAIN AVE.

૮૫૧



Bowery Bay WWTP Location Plan

City of New York
Department of Environmental Protection
Bureau of Wastewater Treatment
43-01 Berrian Boulevard
Astoria, NY 11105

Scavenger Waste
Truck Route

REVISED 3/22/16

