



SAFETY DATA SHEET

Print date: 05/15/2015

Revision Date: 05/15/2015

Revision Number: 1

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: BLACK BEAR GREASE MP-2
Product code: 015516-01

Other means of identification

Synonyms No information available.

Application

Recommended Use Lubricating Grease
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:
BLACK BEAR COMPANY, INC
27-10 Hunters Point Ave. (49th Ave.) Long Island City
New York 11101-4498
Tel. (718) 784-7330
1-(800) 660-7330
Fax. (718) 392-8283

Email : sales@blackbearoil.com
technical@blackbearoil.com
lubricants@blackbearoil.com
fax@blackbearoil.com

Emergency Support : CHEMTREC
United States +1(800) 424-9300
International +01 (703) 527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not classified under the Globally Harmonized System

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Emergency Overview

Appearance Opaque Purple

Physical State Grease

Odor Bland

Hazards not otherwise classified (HNOC)

None known

Other Information

None known.

Unknown acute toxicity

0.7% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No.	Weight %
Sulfurized isobutylene	68511-50-2	1 - 5%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice:	Show this safety data sheet to the doctor in attendance. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician. If symptoms persist, call a physician.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin contact:	Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water.
Ingestion:	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
Inhalation:	Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician if necessary. Consult a physician.
Note to physician:	Treat symptomatically.
Medical condition aggravated by exposure:	Dermatitis.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Use dry chemical, CO2, water spray or `alcohol` foam.
Specific hazards:	Do not allow material to contaminate ground water system.
Special protective equipment for fire-fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific methods: Water mist may be used to cool closed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical measures/precautions: Provide sufficient air exchange and/or exhaust in work rooms.

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage conditions: Store at room temperature in the original container

Incompatible products: Strong oxidizing agents

Safe storage temperature: 40 - 100 ° F

Shelf life: 2 years

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Mineral Oil*	5 mg/m ³	5mg/m ³	5mg/m ³

Engineering measures: Ensure adequate ventilation.

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.

Eye protection:	Safety glasses with side-shields
Hand protection:	Recommended: neoprene, latex, nitrile, butyl rubber and polyethylene type
Skin and body protection:	Long sleeved clothing
Hygiene measures:	Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Grease
Appearance	Opaque Purple
Odor	Bland
Odor Threshold	No information available.
pH concentrate:	Not applicable
pH Dilution	No information available
Melting/freezing point	No information available
Boiling Point/Range	No information available
Flash Point	221 °C / 430 °F
Method	Cleveland Open Cup (COC)
Evaporation rate	No information available
Flammability Limits in Air	
upper flammability limit	No information available.
lower flammability limit	No information available.
VOC Content	No information available
Vapor pressure	No information available.
Vapor density	No information available.
Specific Gravity (g/cc, 15 C)	0.89
Bulk Density (lb/gal, 15 C)	7.5
Water Solubility	Insoluble
Solubility in other solvents	No information available.
Partition coefficient: n-octanol/water	No information available

Autoignition temperature	No information available
Decomposition Temperature	No information available
Kinematic viscosity	220 mm ² /s @ 40 C
Dynamic viscosity	No information available
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Conditions to avoid:	None known.
Materials to avoid:	Strong oxidizing agents.
Hazardous decomposition products:	Carbon oxides. Sulphur oxides. Nitrogen oxides (nox). Oxides of phosphorus. Smoke.
Hazardous Polymerization:	Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfurized isobutylene	5000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
Sulfurized isobutylene	Not listed	Not listed	Not listed

Sensitization	No information available.
Mutagenic effects:	No information available.
Reproductive Toxicity	No information available.

Developmental Toxicity	No information available.
Teratogenic	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Aspiration hazard	No information available.

Additional information on toxicological effects

MINERAL OIL INFORMATION: Any product containing a substance for which OSHA has established a permissible exposure limit (PEL) is considered hazardous. OSHA has established a PEL of 5 mg/m³ for worker exposure to air borne mists of mineral oils. Therefore, the presence of mineral oils brings this product within the provisions of the OSHA Hazard Communication Standard where the PEL reaches or exceeds 5 mg/m³. Health studies have shown that many petroleum hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
Sulfurized isobutylene	250 999	>1000mg/L	EC50 (Daphnia magna - 48h) = 1000 mg/L

8.2705% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability	No information available.
Bioaccumulation	No information available.

Components	Octanol/water partition coefficient
Sulfurized isobutylene	-

Mobility:	No data available
Ozone:	No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:	Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.
Contaminated packaging:	Do not re-use empty containers
Methods for cleaning up:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not Regulated

TDG (CANADA):

Proper shipping name: Not Regulated

IMDG/IMO:

Proper shipping name: Not Regulated

IATA/ICAO:

Proper shipping name: Not Regulated

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication Standard: This product is considered to be hazardous under the OSHA Hazard Communication Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute): Yes
Delayed Health (Chronic): No
Flammability: No
Pressure: No
Reactivity: No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Sulfurized isobutylene	Not listed	Not listed	Not listed

CERCLA/SARA 313 Emission reporting: 1.7 % Zinc compounds (EPA ID E649699)

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sulfurized isobutylene	Not listed	Not listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Sulfurized isobutylene	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

California Proposition 65 Status: No components are listed

RCRA Status: Not regulated

CANADIAN REGULATIONS:

Canada - WHMIS Classification Information: This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

Canadian Product Classification: Not Regulated

Product Classification Graphic(s):

Component Classification Data:

Components	WHMIS hazard class	CEPA Schedule I	Challenge Substances
Sulfurized isobutylene	None	Not listed	Not listed

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory: This product complies with TSCA

Canada DSL/NDL Inventory List This product complies with DSL

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients.
the data sheet:

Prepared by: Safety, Health and Environmental Department

Revision Date: 05/15/2015

Reason for revision: New Format.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet